



SENTRON, держатель цилиндрических предохранителей, 10x38 мм, 3-пол.,
In: 32 A, Un AC: 690 В, компактный вариант

версия	
торговая марка изделия	SENTRON
наименование изделия	Держатель цилиндрических предохранителей
исполнение изделия	Компактное исполнение
Общие технические данные	
число полюсов	3
типоразмер плавких вставок предохранителей	10 x 38 мм
напряжение питания	
рабочее напряжение	690 V
• при переменном токе расчетное значение	
степень защиты IP	IP20
Механическая конструкция	
высота	90 mm
ширина	45 mm
глубина	58 mm
масса нетто	188 g
Сертификаты	
справочный идентификатор согласно МЭК 81346-2:2009	F
Разрешения Сертификаты	
General Product Approval	



EG-Konf.

[Confirmation](#)



UL



UR



other	Environment
Miscellaneous	Confirmation Environmental Confirmations

Дополнительная информация
Информация об упаковке Информация об упаковке Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3NW7033-1 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/3NW7033-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7033-1

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

10.02.2022 

